



Z represents hydrogen, halogen, alkyl, alkoxy, halogenoalkyl, halogenoalkoxy, hydroxyl, cyano, nitro or optionally substituted phenoxy, phenylthio, 5- or 6-membered hetaryloxy, 5- or 6-membered hetarylthio, phenylalkyloxy or phenylalkylthio,  
 Het represents one of the groups



wherein  
 G represents hydrogen (a) or represents one of the groups




wherein  
 E represents hydrogen (a) or represents one of the groups  
 L represents oxygen or sulphur,  
 M represents oxygen or sulphur,  
 R1 represents optionally halogen- or cyano-substituted alkyl, alkenyl, alkoxyalkyl, alkylthioalkyl or polyalkoxyalkyl or represents optionally halogen-, alkyl- or alkoxy-substituted cycloalkyl or heterocyclyl or represents optionally substituted phenyl, phenylalkyl, hetaryl, phenoxyalkyl or hetaryloxyalkyl,  
 R2 represents optionally halogen- or cyano-substituted alkyl, alkenyl, alkoxyalkyl or polyalkoxyalkyl or represents optionally substituted cycloalkyl, phenyl or benzyl,

R<sup>3</sup>, R<sup>4</sup> and R<sup>5</sup> independently represent optionally halogen-substituted alkyl, alkoxy, alkylamino, dialkylamino, alkylthio, alkenylthio or cycloalkylthio or represent optionally substituted phenyl, benzyl, phenoxy or phenylthio,

R<sup>6</sup> and R<sup>7</sup> independently represent hydrogen, represent optionally halogen- or cyano-substituted alkyl, cycloalkyl, alkenyl, alkoxy, alkoxyalkyl, represent optionally substituted phenyl or benzyl, or together with the N atom to which they are attached form an optionally substituted cyclic group which optionally contains oxygen or sulphur,

except for the compound below



2. (Amended) The compound of Claim 1, wherein


- V represents hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy,
- W represents hydrogen, nitro, cyano, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl or C<sub>2</sub>-C<sub>6</sub>-alkynyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-halogenoalkyl, C<sub>1</sub>-C<sub>4</sub>-halogenoalkoxy or optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-halogenoalkyl-, C<sub>1</sub>-C<sub>4</sub>-halogenoalkoxy-, nitro- or cyano-substituted phenyl, phenoxy, phenylthio, phenyl-C<sub>1</sub>-C<sub>4</sub>-alkoxy or phenyl-C<sub>1</sub>-C<sub>4</sub>-alkylthio,
- X represents halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>2</sub>-C<sub>6</sub>-alkenyl, C<sub>2</sub>-C<sub>6</sub>-alkynyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-halogenoalkyl, C<sub>1</sub>-C<sub>4</sub>-halogenoalkoxy, cyano, nitro or optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-halogenoalkyl-, C<sub>1</sub>-C<sub>4</sub>-halogenoalkoxy-, nitro- or cyano-substituted

phenyl, phenoxy, phenylthio, phenyl-C<sub>1</sub>-C<sub>4</sub>-alkoxy or phenyl-C<sub>1</sub>-C<sub>4</sub>-alkylthio,



Y represents hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-halogenoalkyl, C<sub>1</sub>-C<sub>4</sub>-halogenoalkoxy, cyano or nitro,

Z represents hydrogen, halogen, C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-halogenoalkyl, C<sub>1</sub>-C<sub>4</sub>-halogenoalkoxy, hydroxyl, cyano, nitro or optionally halogen-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-halogenoalkyl-, C<sub>1</sub>-C<sub>4</sub>-halogenoalkoxy-, nitro- or cyano-substituted phenoxy, phenylthio, thiazolyloxy, pyridinyloxy, pyrimidyloxy, pyrazolyloxy, phenyl-C<sub>1</sub>-C<sub>4</sub>-alkyloxy or phenyl-C<sub>1</sub>-C<sub>4</sub>-alkylthio,

Het represents one of the groups



G represents hydrogen (a) or represents one of the groups



wherein

E represents a metal ion or an ammonium ion,  
L represents oxygen or sulphur and  
M represents oxygen or sulphur,

A4  
cont


- R<sup>1</sup> represents optionally halogen- or cyano-substituted C<sub>1</sub>-C<sub>20</sub>-alkyl, C<sub>2</sub>-C<sub>20</sub>-alkenyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkylthio-C<sub>1</sub>-C<sub>8</sub>-alkyl or poly-C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>1</sub>-C<sub>8</sub>-alkyl or represents optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl- or C<sub>1</sub>-C<sub>6</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl in which optionally one or two not directly adjacent methylene groups are replaced by oxygen and/or sulphur,
- represents optionally halogen-, cyano-, nitro-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-halogenoalkyl-, C<sub>1</sub>-C<sub>6</sub>-halogenoalkoxy-, C<sub>1</sub>-C<sub>6</sub>-alkylthio- or C<sub>1</sub>-C<sub>6</sub>-alkylsulphonyl-substituted phenyl,
- represents optionally halogen-, nitro-, cyano-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-halogenoalkyl- or C<sub>1</sub>-C<sub>6</sub>-halogenoalkoxy-substituted phenyl-C<sub>1</sub>-C<sub>6</sub>-alkyl,
- represents optionally halogen- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted 5- or 6-membered hetaryl having one or two heteroatoms selected from the group consisting of oxygen, sulphur and nitrogen,
- represents optionally halogen- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted phenoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl or
- represents optionally halogen-, amino- or C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted 5- or 6-membered hetaryloxy-C<sub>1</sub>-C<sub>6</sub>-alkyl having one or two heteroatoms selected from the group consisting of oxygen, sulphur and nitrogen,
- R<sup>2</sup> represents optionally halogen- or cyano-substituted C<sub>1</sub>-C<sub>20</sub>-alkyl, C<sub>2</sub>-C<sub>20</sub>-alkenyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl or poly-C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl,
- represents optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl- or C<sub>1</sub>-C<sub>6</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>8</sub>-cycloalkyl or
- represents optionally halogen-, cyano-, nitro-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>6</sub>-halogenoalkyl- or C<sub>1</sub>-C<sub>6</sub>-halogenoalkoxy-substituted phenyl or benzyl,

R<sup>3</sup> represents optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl or optionally halogen-, C<sub>1</sub>-C<sub>6</sub>-alkyl-, C<sub>1</sub>-C<sub>6</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-halogenoalkyl-, C<sub>1</sub>-C<sub>4</sub>-halogenoalkoxy-, cyano- or nitro-substituted phenyl or benzyl,

R<sup>4</sup> and R<sup>5</sup> independently represent optionally halogen-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>1</sub>-C<sub>8</sub>-alkylamino, di(C<sub>1</sub>-C<sub>8</sub>-alkyl)amino, C<sub>1</sub>-C<sub>8</sub>-alkylthio or C<sub>3</sub>-C<sub>8</sub>-alkenylthio or represent optionally halogen-, nitro-, cyano-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>4</sub>-halogenoalkoxy-, C<sub>1</sub>-C<sub>4</sub>-alkylthio-, C<sub>1</sub>-C<sub>4</sub>-halogenoalkylthio-, C<sub>1</sub>-C<sub>4</sub>-alkyl- or C<sub>1</sub>-C<sub>4</sub>-halogenoalkyl-substituted phenyl, phenoxy or phenylthio,

R<sup>6</sup> and R<sup>7</sup> independently represent hydrogen, represent optionally halogen- or cyano-substituted C<sub>1</sub>-C<sub>8</sub>-alkyl, C<sub>3</sub>-C<sub>8</sub>-cycloalkyl, C<sub>1</sub>-C<sub>8</sub>-alkoxy, C<sub>3</sub>-C<sub>8</sub>-alkenyl or C<sub>1</sub>-C<sub>8</sub>-alkoxy-C<sub>2</sub>-C<sub>8</sub>-alkyl, represent optionally halogen-, C<sub>1</sub>-C<sub>8</sub>-alkyl-, C<sub>1</sub>-C<sub>8</sub>-halogenoalkyl- or C<sub>1</sub>-C<sub>8</sub>-alkoxy-substituted phenyl or benzyl or together represent an optionally C<sub>1</sub>-C<sub>6</sub>-alkyl-substituted C<sub>3</sub>-C<sub>6</sub>-alkylene radical in which optionally one methylene group is replaced by oxygen or sulphur,

except for the compound below




3. (Amended) The compound of Claim 1, wherein



V represents hydrogen, fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy,

W represents hydrogen, fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-halogenoalkyl or C<sub>1</sub>-C<sub>2</sub>-halogenoalkoxy,

- X represents fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-halogenoalkyl, C<sub>1</sub>-C<sub>2</sub>-halogenoalkoxy, cyano or nitro,
- Y represents hydrogen, fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-halogenoalkyl, C<sub>1</sub>-C<sub>2</sub>-halogenoalkoxy, cyano or nitro,
- Z represents hydrogen, fluorine, chlorine, bromine, C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>2</sub>-halogenoalkyl, C<sub>1</sub>-C<sub>2</sub>-halogenoalkoxy, hydroxyl, cyano, nitro or optionally fluorine-, chlorine-, bromine-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>2</sub>-halogenoalkyl-, C<sub>1</sub>-C<sub>2</sub>-halogenoalkoxy-, nitro- or cyano-substituted phenoxy or benzyloxy,
- Het represents one of the groups



G represents hydrogen (a) or represents one of the groups



wherein

- E represents a metal ion or an ammonium ion,
- L represents oxygen or sulphur and
- M represents oxygen or sulphur,
- R<sup>1</sup> represents optionally fluorine- or chlorine-substituted C<sub>1</sub>-C<sub>16</sub>-alkyl, C<sub>2</sub>-C<sub>16</sub>-alkenyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkylthio-C<sub>1</sub>-C<sub>6</sub>-alkyl or poly-C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl or represents optionally fluorine-,

chlorine-, C<sub>1</sub>-C<sub>5</sub>-alkyl- or C<sub>1</sub>-C<sub>5</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>7</sub>-cycloalkyl in which optionally one or two not directly adjacent methylene groups are replaced by oxygen and/or sulphur,

represents optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>3</sub>-halogenoalkyl-, C<sub>1</sub>-C<sub>3</sub>-halogenoalkoxy-, C<sub>1</sub>-C<sub>4</sub>-alkylthio- or C<sub>1</sub>-C<sub>4</sub>-alkylsulphonyl-substituted phenyl,

represents optionally fluorine-, chlorine-, bromine-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>3</sub>-halogenoalkyl- or C<sub>1</sub>-C<sub>3</sub>-halogenoalkoxy-substituted phenyl-C<sub>1</sub>-C<sub>4</sub>-alkyl,

represents optionally fluorine-, chlorine-, bromine- or C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted pyrazolyl, thiazolyl, pyridyl, pyrimidyl, furanyl or thienyl,

represents optionally fluorine-, chlorine-, bromine- or C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted phenoxy-C<sub>1</sub>-C<sub>5</sub>-alkyl or


represents optionally fluorine-, chlorine-, bromine-, amino- or C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted pyridyloxy-C<sub>1</sub>-C<sub>5</sub>-alkyl, pyrimidyloxy-C<sub>1</sub>-C<sub>5</sub>-alkyl or thiazolyloxy-C<sub>1</sub>-C<sub>5</sub>-alkyl,

R<sup>2</sup> represents optionally fluorine- or chlorine-substituted C<sub>1</sub>-C<sub>16</sub>-alkyl, C<sub>2</sub>-C<sub>16</sub>-alkenyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl or poly-C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl,

represents optionally fluorine-, chlorine-, C<sub>1</sub>-C<sub>4</sub>-alkyl- or C<sub>1</sub>-C<sub>4</sub>-alkoxy-substituted C<sub>3</sub>-C<sub>7</sub>-cycloalkyl or

represents optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, C<sub>1</sub>-C<sub>3</sub>-alkoxy-, C<sub>1</sub>-C<sub>3</sub>-halogenoalkyl- or C<sub>1</sub>-C<sub>3</sub>-halogenoalkoxy-substituted phenyl or benzyl,

- R<sup>3</sup> represents optionally fluorine- or chlorine-substituted C<sub>1</sub>-C<sub>6</sub>-alkyl or optionally fluorine-, chlorine-, bromine-, C<sub>1</sub>-C<sub>4</sub>-alkyl-, C<sub>1</sub>-C<sub>4</sub>-alkoxy-, C<sub>1</sub>-C<sub>2</sub>-halogenoalkoxy-, C<sub>1</sub>-C<sub>2</sub>-halogenoalkyl-, cyano- or nitro-substituted phenyl or benzyl,
- R<sup>4</sup> and R<sup>5</sup> independently represent optionally fluorine- or chlorine-substituted C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>1</sub>-C<sub>6</sub>-alkylamino, di(C<sub>1</sub>-C<sub>6</sub>-alkyl)amino, C<sub>1</sub>-C<sub>6</sub>-alkylthio or C<sub>3</sub>-C<sub>4</sub>-alkenylthio or represent optionally fluorine-, chlorine-, bromine-, nitro-, cyano-, C<sub>1</sub>-C<sub>3</sub>-alkoxy-, C<sub>1</sub>-C<sub>3</sub>-halogenoalkoxy-, C<sub>1</sub>-C<sub>3</sub>-alkylthio-, C<sub>1</sub>-C<sub>3</sub>-halogenoalkylthio-, C<sub>1</sub>-C<sub>3</sub>-alkyl- or C<sub>1</sub>-C<sub>3</sub>-halogenoalkyl-substituted phenyl, phenoxy or phenylthio,
- R<sup>6</sup> and R<sup>7</sup> independently represent hydrogen, represent optionally fluorine- or chlorine-substituted C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>1</sub>-C<sub>6</sub>-alkoxy, C<sub>3</sub>-C<sub>6</sub>-alkenyl or C<sub>1</sub>-C<sub>6</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl, represent optionally fluorine-, chlorine-, bromine-, C<sub>1</sub>-C<sub>5</sub>-halogenoalkyl-, C<sub>1</sub>-C<sub>5</sub>-alkyl- or C<sub>1</sub>-C<sub>5</sub>-alkoxy-substituted phenyl or benzyl, or together represent an optionally C<sub>1</sub>-C<sub>4</sub>-alkyl-substituted C<sub>3</sub>-C<sub>6</sub>-alkylene radical in which optionally one methylene group is replaced by oxygen or sulphur, except for the compound below




4. (Amended) The compound of Claim 1, wherein


- V represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, methoxy or ethoxy,



- W represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, propyl, methoxy or ethoxy,
- X represents fluorine, chlorine, bromine, methyl, ethyl, propyl, isopropyl, methoxy, ethoxy, propoxy, isopropoxy, trifluoromethyl, trifluoromethoxy, difluoromethoxy or cyano,
- Y represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, propyl, isopropyl, tert-butyl, methoxy, ethoxy, propoxy, isopropoxy, trifluoromethyl, trifluoromethoxy, difluoromethoxy, cyano or nitro,
- Z represents hydrogen, fluorine, chlorine, bromine, methyl, ethyl, propyl, isopropyl, tert-butyl, methoxy, ethoxy, propoxy, isopropoxy, trifluoromethyl, trifluoromethoxy, difluoromethoxy, cyano or nitro,
- Het represents one of the groups



G represents hydrogen (a) or represents one of the groups



wherein

- E represents a metal ion or an ammonium ion,
- L represents oxygen or sulphur and
- M represents oxygen or sulphur,
- R<sup>1</sup> represents optionally fluorine- or chlorine-substituted C<sub>1</sub>-C<sub>14</sub>-alkyl, C<sub>2</sub>-C<sub>14</sub>-alkenyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>6</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkylthio-C<sub>1</sub>-C<sub>6</sub>-alkyl,

poly-C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl or represents optionally fluorine-, chlorine-, methyl-, ethyl-, n-propyl-, isopropyl-, n-butyl-, isobutyl-, tert-butyl-, methoxy-, ethoxy-, n-propoxy- or isopropoxy-substituted C<sub>3</sub>-C<sub>6</sub>-cycloalkyl in which optionally one or two not directly adjacent methylene groups are replaced by oxygen and/or sulphur, represents optionally fluorine-, chlorine-, bromine-, cyano-, nitro-, methyl-, ethyl-, n-propyl-, isopropyl-, methoxy-, ethoxy-, trifluoromethyl-, trifluoromethoxy-, methylthio-, ethylthio-, methylsulphonyl- or ethylsulphonyl-substituted phenyl, represents optionally fluorine-, chlorine-, bromine-, methyl-, ethyl-, n-propyl-, isopropyl-, methoxy-, ethoxy-, trifluoromethyl- or trifluoromethoxy-substituted benzyl, represents optionally fluorine-, chlorine-, bromine-, methyl- or ethyl-substituted furanyl, thienyl or pyridyl, represents optionally fluorine-, chlorine-, methyl- or ethyl-substituted phenoxy-C<sub>1</sub>-C<sub>4</sub>-alkyl or represents optionally fluorine-, chlorine-, amino-, methyl- or ethyl-substituted pyridyloxy-C<sub>1</sub>-C<sub>4</sub>-alkyl, pyrimidyloxy-C<sub>1</sub>-C<sub>4</sub>-alkyl or thiazolyloxy-C<sub>1</sub>-C<sub>4</sub>-alkyl,


- Q4 cont*
- R<sup>2</sup> represents optionally fluorine- or chlorine-substituted C<sub>1</sub>-C<sub>14</sub>-alkyl, C<sub>2</sub>-C<sub>14</sub>-alkenyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl or poly-C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>6</sub>-alkyl, represents optionally fluorine-, chlorine-, methyl-, ethyl-, n-propyl-, isopropyl- or methoxy-substituted C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, or represents optionally fluorine-, chlorine-, cyano-, nitro-, methyl-, ethyl-, n-propyl-, isopropyl-, methoxy-, ethoxy-, trifluoromethyl- or trifluoromethoxy-substituted phenyl or benzyl,
- R<sup>3</sup> represents optionally fluorine- or chlorine-substituted methyl, ethyl, propyl, isopropyl, butyl, tert-butyl, or optionally fluorine-, chlorine-, bromine-, methyl-, ethyl-, isopropyl-, tert-butyl-, methoxy-, ethoxy-,

isopropoxy-, trifluoromethyl-, trifluoromethoxy-, cyano- or nitro-substituted phenyl or benzyl,


R<sup>4</sup> and R<sup>5</sup> independently represent optionally fluorine- or chlorine-substituted C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>1</sub>-C<sub>4</sub>-alkylamino, di(C<sub>1</sub>-C<sub>4</sub>-alkyl)amino or C<sub>1</sub>-C<sub>4</sub>-alkylthio or represent optionally fluorine-, chlorine-, bromine-, nitro-, cyano-, methyl-, methoxy-, trifluoromethyl- or trifluoromethoxy-substituted phenyl, phenoxy or phenylthio,

R<sup>6</sup> and R<sup>7</sup> independently represent hydrogen, represent optionally fluorine- or chlorine-substituted C<sub>1</sub>-C<sub>4</sub>-alkyl, C<sub>3</sub>-C<sub>6</sub>-cycloalkyl, C<sub>1</sub>-C<sub>4</sub>-alkoxy, C<sub>3</sub>-C<sub>4</sub>-alkenyl or C<sub>1</sub>-C<sub>4</sub>-alkoxy-C<sub>2</sub>-C<sub>4</sub>-alkyl, represent optionally fluorine-, chlorine-, bromine-, methyl-, methoxy- or trifluoromethyl-substituted phenyl or benzyl, or together represent an optionally methyl- or ethyl-substituted C<sub>5</sub>-C<sub>6</sub>-alkylene radical in which optionally one methylene group is replaced by oxygen or sulphur,

except for the compound below



5. (Amended) A process for preparing a compound of Claim 1, comprising condensing intramolecularly a compound of the formula (II)




wherein

V, W, X, Y and Z are as defined in Claim 1, and

R<sup>8</sup> represents alkyl


in the presence of a diluent and in the presence of a base, yielding a compound of the formula (I-1-a)



(I-1-a)

or

condensing intramolecularly a compound of the formula (III)




(III)

wherein

V, W, X, Y, Z and R<sup>8</sup> are as defined in Claim 1,


in the presence of a diluent and in the presence of a base to yield a compound of the formula (I-2-a)



(I-2-a)

and  
collecting the reaction product


6. (Amended) The compound of the formula (II)



wherein


V, W, X, Y and Z are as defined in Claim 1 and  
R<sup>8</sup> represents alkyl.

7. (Amended) The compound of the formula (III)




wherein

V, W, X, Y, Z and R<sup>8</sup> are as defined in claim 6  
except for the compound below




8. (Amended) The compound of the formula (XVI)



wherein

V, W, X, Y and Z are as defined in Claim 1.


9. (Amended) The compound of the formula (XIX)




wherein

V, W, X, Y and Z are as defined in Claim 1.

10. (Amended) A compound of the formula (XVIII)



11. (Amended) The compound of the formula (XIV)



wherein

$R^8$  is as defined in Claim 6.

12. (Amended) A pesticide and/or weed killer comprising at least one compound of Claim 1.

14. (Amended) A method for controlling at least one of a pest and a weed comprising applying a compound of Claim 1 to the pest, weed and/or its habitat.

15. (Amended) A process for preparing at least one of a pesticide and a weed killer comprising mixing at least one compound of Claim 1 with at least one of extenders and surfactants.

Please add the following claims:

-- 17. The process of Claim 5, further including reacting the compound of formula (I-1-a) or the compound of formula (I-2-a) with a compound of the formula (IV)



wherein

$R^1$  is as defined in Claim 1 and

Hal represents halogen

or

reacting the compound of formula (I-1-a) or the compound of formula (I-2-a) with a compound of the formula (V)



wherein

$R^1$  is as defined in Claim 1, and

collecting the reaction product,

wherein the step of reacting optionally occurs in the presence of a diluent and in the presence of an acid binder.

18. The process of Claim 5, further including reacting the compound of formula (I-1-a) or the compound of formula (I-2-a) with a compound of the formula (VI)




wherein

$R^2$  and M are as defined in Claim 1, and

collecting the reaction product,

wherein the step of reacting optionally occurs in the presence of a diluent and in the presence of an acid binder.

19. The process of Claim 5, further including reacting the compound of formula (I-1-a) or the compound of formula (I-2-a) with a compound of the formula (VII)



wherein

M and  $R^2$  are as defined in Claim 1, and

collecting the reaction product,

wherein the step of reacting optionally occurs in the presence of a diluent and in the presence of an acid binder.



20. The process of Claim 5, further including reacting the compound of formula (I-1-a) or the compound of formula (I-2-a) with a compound of the formula (VIII)




wherein

$R^3$  is as defined in Claim 1, and

collecting the reaction product,

wherein the step of reacting optionally occurs in the presence of a diluent and in the presence of an acid binder.

21. The process of Claim 5, further including reacting the compound of formula (I-1-a) or the compound of formula (I-2-a) with a compound of the formula (IX)



wherein



$L$ ,  $R^4$  and  $R^5$  are as defined in Claim 1,

$Hal$  represents halogen, and

collecting the reaction product,

wherein the step of reacting optionally occurs in the presence of a diluent and in the presence of an acid binder.

22. The process of Claim 5, further including reacting the compound of formula (I-1-a) or the compound of formula (I-2-a) with a compound of the formula (X) or (XI)



wherein

Me represents a mono- or divalent metal,

t represents the number 1 or 2 and

R<sup>10</sup>, R<sup>11</sup>, R<sup>12</sup> independently represent hydrogen or alkyl, and

collecting the reaction product,

wherein the step of reacting optionally occurs in the presence of a diluent.

23. The process of Claim 5, further including reacting the compound of formula (I-1-a) or the compound of formula (I-2-a) with a compound of the formula (XII)



wherein


R<sup>6</sup> and L are as defined in Claim 1, and

collecting the reaction product,

wherein the step of reacting optionally occurs in the presence of a diluent and in the presence of a catalyst,

or

reacting the compound of formula (I-1-a) or the compound of formula (I-2-a) with a compound of the formula (XIII)



wherein

L, R<sup>6</sup> and R<sup>7</sup> are as defined in Claim 1, and

collecting the reaction product,

wherein the step of reacting optionally occurs in the presence of a diluent and in the presence of an acid binder.--

---

**In the abstract:**

Please replace the abstract with the attached page.